**OHIC Aligned Primary Care Measure Set** 

Effective Date: Performance Period Starting on or after 1-1-19

Total Measures (excluding Developmental): 29 Total Measures (including Developmental): 35

## **Core Measures by Domain (7)**

# Chronic Illness (2)

- Controlling High Blood Pressure
- Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Control (<8.0%)

# Preventive Care (5)

- Adult BMI Assessment
- Colorectal Cancer Screening
- Developmental Screening in the First Three Years of Life
- Tobacco Use: Screening and Cessation Intervention
- Weight Assessment and Counseling for Nutrition and Physical Activity for Children/ Adolescents

# Menu Measures by Domain (22)

#### Behavioral Health (4)

- Concurrent Use of Opioids and Benzodiazepines
- Follow-Up Care for Children Prescribed ADHD Medication
- Screening for Clinical Depression and Follow-Up Plan
- Unhealthy Alcohol and Drug Use Screening and Brief Counseling

### Care Coordination (1)

• Medication Reconciliation Post-Discharge

#### Chronic Illness (4)

- Comprehensive Diabetes Care: Eye Exam
- Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Poor Control (>9.0%)
- Comprehensive Diabetes Care: Medical Attention for Nephropathy
- Medication Management for People with Asthma

#### Consumer Experience (1)

• PCMH CAHPS (for primary care) - questions not specified

#### Overuse (1)

• Use of Imaging Studies for Low Back Pain

### Preventive Care (8)

- Adolescent Well-Care Visits
- Breast Cancer Screening
- Cervical Cancer Screening

- Childhood Immunization Status (Combo 10)
- Chlamydia Screening
- Fluoride Varnish
- Immunization Status for Adolescents (Combo 2)
- Lead Screening for Children

# Maternity Care (1)

• Maternal Depression Screening

### Utilization (2)

- ED Visits per 1,000
- Inpatient Visits per 1,000 (Inpatient Utilization General Hospital/Acute Care)

# **Developmental Measures by Domain (6)**

### Behavioral Health (2)

- Depression Remission or Response for Adolescents and Adults
- Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults

## Chronic Illness (1)

• Statin Therapy for Patients with Cardiovascular Disease

# Preventive Care (2)

- Depression Screening and Follow-Up for Adolescents and Adults
- Unhealthy Alcohol Use Screening and Follow-Up

### Social Determinants of Health (1)

**OHIC Aligned Maternity Care Measure Set** 

Effective Date: Performance Period Starting on or after 1-1-19

Total Measures (excluding Developmental): 9 Total Measures (including Developmental): 10

# Core Measures by Domain (1)

# Preventive Care (1)

• Prenatal & Postpartum Care - Postpartum Care Rate

### Menu Measures by Domain (8)

# Acute Care (2)

- Cesarean Section Delivery Rate
- Primary Cesarean Delivery Rate

### Preventive Care (6)

- Behavioral Health Risk Assessment Screenings
- Depression Screening (Postpartum Care)
- Interpregnancy Interval (Contraceptive) Counseling
- Maternity Care: Post-Partum Follow-Up and Care Coordination
- Prenatal & Postpartum Care Timeliness of Prenatal Care
- Postpartum Testing of Gestational Diabetes

# **Developmental Measures by Domain (1)**

### Social Determinants of Health (1)

OHIC Aligned Behavioral Health - Mental Health Measure Set

Effective Date: Performance Period Starting on or after 1-1-19

Total Measures (excluding Developmental): 11 Total Measures (including Developmental): 15

#### Core Measures by Domain (0)

### Menu Measures by Domain (11)

#### Acute Care (1)

• Adult Major Depressive Disorder (MDD): Coordination of Care of Patients with Specific Comorbid Conditions

## Chronic Illness Care (2)

- Diabetes Screening for People with Schizophrenia or Bipolar Disorder who Are Using Antipsychotic Medications
- Metabolic Monitoring for Children and Adolescents on Antipsychotics

### Hospital (2)

- Follow-Up After Emergency Department Visit for Mental Illness
- Follow-Up After Hospitalization for Mental Illness (7-Day) (NCQA Version)

## Medication Management (3)

- Adherence to Antipsychotic Medications for Individuals with Schizophrenia
- Antidepressant Medication Management
- Follow-Up Care for Children Prescribed ADHD Medication

#### Prevention (3)

- Adult Major Depressive Disorder (MDD): Suicide Risk Assessment
- Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment
- Unhealthy Drug and Alcohol Use: Screening & Brief Counseling

#### **Developmental Measures by Domain (4)**

#### Acute Care (2)

- Depression Remission or Response for Adolescents and Adults
- Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults

#### Preventive Care (1)

• Unhealthy Alcohol Use Screening and Follow-Up

#### Social Determinants of Health (1)

### OHIC Aligned Behavioral Health - Substance Use Treatment Measure Set

**Effective Date: Performance Period Starting on or after 1-1-19** 

Total Measures (excluding Developmental): 3 Total Measures (including Developmental): 4

# Core Measures by Domain (1)

### Chronic Care Illness (1)

• Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment

# Menu Measures by Domain (2)

### Behavioral Health (1)

• Concurrent Use of Opioids and Benzodiazepines

#### Hospital (1)

• Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence

# **Developmental Measures by Domain (1)**

# Social Determinants of Health (1)

**OHIC Aligned Hospital Measure Set** 

Tentative Effective Date: Performance Period Starting on or after 1-1-19

Total Measures (excluding Developmental): 21 Total Measures (including Developmental): 22

## **Core Measures by Domain (8)**

#### Hospital (8)

- CAUTI: Cather-Associated Urinary Tract Infection (HAI-2)
- CLABSI: Central Line-Associated Blood Stream Infection (HAI-1)
- Clostridium Difficile (C.diff.) Infections (HAI-6)
- Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence
- Follow-Up After Emergency Department Visit for Mental Illness
- Follow-Up After Hospitalization for Mental Illness (7-Day) (NCQA Version)
- HCAHPS
- Hospital-wide Readmit (READM-30-HOSP-WIDE)

#### Menu Measures by Domain (13)

## Hospital (12)

- Alcohol & Other Drug Use Disorder Treatment Provided or Offered at Discharge (SUB-3) and Alcohol & Other Drug Use Disorder Treatment at Discharge (SUB-3a)
- American College of Surgeons Centers for Disease Control and Prevention (ACS-CDC)
  Harmonized Procedure Specific Surgical Site Infection (SSI) Outcome Measure HAI-3:
  SSI: Colon Surgical Site Infection for Colon Surgery and HAI-4: SSI: Hysterectomy Surgical Site Infection for Abdominal Hysterectomy
- Cesarean Rate for Nulliparous Singleton Vertex (PC-02)
- Elective Delivery Prior to 39 Completed Weeks Gestation (PC-01)
- Exclusive Breast Milk Feeding (PC-05)
- Heart Attack Readmit (READM-30-AMI)
- Heart Failure Readmit (READM-30-HF)
- Methicillin-resistant Staphylococcus Aureus (or MRSA) Blood Infections (HAI-5)
- Pneumonia Readmit (READM-30-PN)
- Thrombolytic Therapy (STK-4)
- Timely Transmission of Transition Record
- Transition Record with Specified Elements Received by Discharged Patients

#### Population Health (1)

• 30-day Psychiatric Inpatient Readmission

#### Developmental Measures by Domain (1)

### Social Determinants of Health (1)

**OHIC Aligned ACO Measure Set** 

Effective Date: Performance Period Starting on or after 1-1-19

Total Measures (excluding Developmental): 57 Total Measures (including Developmental): 63

## Core Measures by Domain (10)

#### Chronic Care Illness (2)

- Comprehensive Diabetes Care: HbA1c Control (<8.0%)
- Controlling High Blood Pressure

## Consumer Experience (1)

 CAHPS (Option 1: Survey for Accountable Care Organizations (ACOs) Participating in Medicare Initiatives; Option 2: Clinician/Group Surveys (Adult Primary Care, Pediatric Care, and Specialist Care Surveys; Option 3: PCMH CAHPS Survey (for primary care questions not specified)

#### Hospital (1)

• Follow-Up After Hospitalization for Mental Illness (7-Day) (NCQA Version)

# Preventive Care (6)

- Adult BMI Assessment
- Breast Cancer Screening
- Colorectal Cancer Screening
- Developmental Screening in the First Three Years of Life
- Tobacco Use: Screening and Cessation Intervention
- Weight Assessment and Counseling for Nutrition and Physical Activity for Children/ Adolescents

### Menu Measures by Domain (47)

### Acute Care (1)

 Adult Major Depressive Disorder (MDD): Coordination of Care of Patients with Specific Comorbid Conditions

#### Behavioral Health (1)

• Concurrent Use of Opioids and Benzodiazepines

### Chronic Illness (4)

- Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment
- Comprehensive Diabetes Care: Eye Exam
- Comprehensive Diabetes Care: HbA1c Poor Control (>9.0%)
- Comprehensive Diabetes Care: Medical Attention for Nephropathy

#### Hospital (20)

- Alcohol & Other Drug Use Disorder Treatment Provided or Offered at Discharge (SUB-3) and Alcohol & Other Drug Use Disorder Treatment at Discharge (SUB-3a)
- American College of Surgeons Centers for Disease Control and Prevention (ACS-CDC)
  Harmonized Procedure Specific Surgical Site Infection (SSI) Outcome Measure HAI-3:
  SSI: Colon Surgical Site Infection for Colon Surgery and HAI-4: SSI: Hysterectomy Surgical Site Infection for Abdominal Hysterectomy
- CAUTI: Cather-Associated Urinary Tract Infection (HAI-2)
- Cesarean Rate for Nulliparous Singleton Vertex (PC-02)
- CLABSI: Central Line-Associated Blood Stream Infection (HAI-1)
- Clostridium Difficile (C.diff.) Infections (HAI-6)
- Elective Delivery Prior to 39 Completed Weeks Gestation (PC-01)
- Exclusive Breast Milk Feeding (PC-05)
- Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence
- Follow-Up After Emergency Department Visit for Mental Illness
- HCAHPS
- Heart Attack Readmit (READM-30-AMI)
- Heart Failure Readmit (READM-30-HF)
- Hospital-wide Readmit (READM-30-HOSP-WIDE)
- Methicillin-resistant Staphylococcus Aureus (or MRSA) Blood Infections (HAI-5)
- Plan (ACO) All-Cause Readmission
- Pneumonia Readmit (READM-30-PN)
- Timely Transmission of Transition Record
- Thrombolytic Therapy (STK-4)
- Transition Record with Specified Elements Received by Discharged Patients

#### Medication Management (4)

- Adherence to Antipsychotic Medications for Individuals with Schizophrenia (Medicaid Only)
- Follow-Up Care for Children Prescribed ADHD Medication
- Medication Management for People with Asthma
- Medication Reconciliation Post-Discharge

#### Overuse (1)

• Use of Imaging Studies for Low Back Pain

# Post-Acute/Long-Term Care (2)

- PointRight Pro 30 Rehospitalization
- Skilled Nursing Facility 30-Day All-Cause Readmission Measure (SNFRM)

# Preventive Care (14)

- Adolescent Well-Care Visit
- Adult Major Depressive Disorder (MDD): Suicide Risk Assessment
- Behavioral Health Risk Assessment Screenings
- Cervical Cancer Screening
- Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment
- Childhood Immunization Status (Combo 10)

- Chlamydia Screening
- Fluoride Varnish
- Immunizations for Adolescents (Combo 2)
- Lead Screening in Children
- Maternal Depression Screening
- Prenatal & Postpartum Care Postpartum Care Rate
- Screening for Clinical Depression and Follow-Up Plan
- Unhealthy Drug and Alcohol Use: Screening & Brief Counseling

## **Developmental Measures by Domain (6)**

# Behavioral Health (2)

- Depression Remission or Response for Adolescents and Adults
- Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults

### Chronic Illness (1)

• Statin Therapy for Patients with Cardiovascular Disease

# Preventive Care (2)

- Depression Screening and Follow-Up for Adolescents and Adults
- Unhealthy Alcohol Use Screening and Follow-Up

# Social Determinants of Health (1)